

SCOPE OF WORK

INTENT

The intent and purpose of this invitation to bid is to establish an annual requirements contract for crack joint sealing services for the Department of Public Works and Transportation. These services shall include but not limited to cleaning, prepping, and sealing cracks on asphalt streets. During performance of work, Contractor shall furnish all labor, equipment, and materials to control dust at all times.

REQUIREMENTS

Vendor shall furnish all equipment and supplies needed to seal cracks on asphalt streets. All equipment and supplies used must be capable of performing all operations in accordance with the specification.

Crack Sealing Requirements:

- All cracks shall be cleaned and dry before sealing,
- Cracks that are 1/8 inch should be routed to ¼ inch,
- A backer rod equal to Cera-Rod (Exhibit A) shall be installed in cracks that are 2 inches deep,
- A backer rod shall be compressible, non-shrinking, non-absorbent material with a melting point higher than the temperature of the material.

Product Information:

- Material shall be Crafcro Inc., Polyflex Type 3 (Exhibit B) or City approved equal.

TRAFFIC CONTROL

Vendor shall follow the City of Arlington's Services Temporary Traffic Control Guidelines:

https://cdn5-hosted.civiclive.com/UserFiles/Servers/Server_14481062/File/City%20Hall/Depts/PublicWork%20Transportation/Traffic/Traffic_Control_Permit.pdf

- Locations are typically moving zone areas; all lanes will be opened at the end of the day.
- Regular work hours are 7:00 a.m. until 4:30 p.m. Monday through Saturday.
- Schedule shall be coordinated with Contract Administrator. Contract Administrator will provide locations to be covered.

DUST CONTROL

Contractor will be responsible for minimizing dust on a daily basis and when instructed by the City. Dust control shall include but is not limited to operations such as watering stockpiles, subgrade, pavement, sawing (including brick pavers), concrete joint sealing, routing and crack sealing. Equipment necessary for capturing particulate matter during the process of routing, cleaning & sealing cracks & joints shall be considered subsidiary. The necessary application of water for dust control shall be considered subsidiary to the other bid items.